



Setting the Standard for Shielding.™

MS On-Board / Online Catalog 2019

Standard Drawn EMI/RFI Shields

Seamless Protective Cages!



[Rev / February 28, 2019 4:14 PM]



Download your free CAD file OrderOnline



www.masach.com




© 2019 Masach Tech Ltd.

Setting the Standard for Shielding.[™]



Masach[™] brings twenty five years of know-how and expertise into every standard shield produced. Our ever-growing selection of standard EMI/RFI shields is the largest in the industry, saving our customers precious time and money while catering to the electronic industry's growing high frequency and RF applications. With emphasis on technology and design, Masach[™] drawn EMI/RFI shields boast top performance across the metrics, featuring a seamless protective cage, robust construction, optimal planarity and two-piece shield design.

Whatever your EMI/RFI challenge..



Introduction



Masach

Masach[™] specializes in board level EMI/RFI shielding design and production for small, medium and large scale runs. Founded in 1994, Masach[™] is a globally recognized and leading supplier of some of the world's largest electronic companies, driven by highest quality customer service with uncompromised product performance.

Every step of the production cycle, from raw materials and design to packaging and shipping, is meticulously executed under one roof leveraging dedicated hydraulic presses, cutting-edge tool room assemblies, forming operations and more.

Masach[™] utilizes the latest laser technology to deliver most advanced 3D cutting of formed or bent shields made of thin gage materials, CNC punching and more. We remain committed to meet the needs of every industry – from telecommunications and network equipment to military and medical – with the right board level EMI/RFI shielding solution for every challenge.

Masach[®]

Masach Tech Ltd. 22 HaGanan, Modiin 7169513 P.O.B 540 Israel t +972 (0) 8 9754681 f +972 (0) 8 9754682 e info@masach.com

www.masach.com

Copyright © 1994-2019, MASACH TECH LTD. MASACH™, Masach™, Masach Tech™ and related logos and taglines, are trademarks of MASACH TECH LTD. Other unrelated trademarks shown are the property of their respective owners.

Hermetically Sealed EMI/RFI Shields



A higher level of protection




EMI/RFI engineers prefer hermetically sealed shields at high frequencies due their superior performance over time. Designed for highest shielding performance leveraging a unique hermetic design and fabrication process, Masach[™] seamless protective cages are in a class of their own.

Most conventional shields are produced by bending the frames and covers, leaving slits for dust and interference. Masach[™] unique fabrication process utilizes drawn frames and snap on covers to produce a seamless, more hermetic shield that is as durable as it is effective.

Featuring a convenient two-piece design, our shields enable to inspect and repair shielded components without having to remove the entire shield. Masach[™] shields are known for their planarity, offering optimal yield of reflow soldering for even better overall performance. Our ever-growing selection of EMI/RFI hermetically sealed shields are suitable to small, medium and large-scale runs.

Seamless Protective Cage!





- Seamless Protective Cage for higher shielding effectiveness
- Optimal Planarity for higher yield on reflow soldering
- Solid Construction to resist dents and warps
- Two-piece Shield Design enables to repair components without removing the shield, saving time and reducing repair damage

Largest Selection in the Industry

Comprehensive Library of Two-piece EMI/RFI Shields



Extensive range of Drawn EMI/RFI shields from Masach, boosts flexibility

LEARN MORE

Enjoy our extensive range of drawn shields for utmost flexibility in design



Masach[™] offers the largest selection of standard drawn EMI/RFI shields in the electronics industry. Our ever-growing range of sizes delivers more flexibility in surface mount configurations where interference may occur or is identified during the board design phase. The highly reliable two-piece design (frame and cover) accommodates virtually any surface mount application.

Fast and Economical Approach




Shorter engineering design time, lower product cost and quicker time to market



Masach[™] standard shields saves on custom design costs, doing away with the need to produce expensive prototypes for evaluation, as well as significantly reduces delivery times. Our standard drawn EMI/RFI shields consist of tin-plated steel alloys, commonly used for board-level shielding due to their exceptional mechanical formability, environmental compliance, and relative low cost.

Engineers taking part in the board design phase can take advantage of the information concerning all mechanical aspects of Masach[™] shields, conveniently available for download (PDF datasheets and CAD files), from the website product page.



NOTE: (1) All Items in this category are according to our **Tinplate Standard Steel –** CRS Electrolytic Tinplate (2) General Tolerance (+/-) 0.2mm

If you cannot find a standard shield according to your requirements, please contact us at: info@masach.com and we will make the adjustments or find a suitable solution for your specific needs.



Masach

MS On-Board / Catalog 2019

| MS Set PN. | MS Item PN. | Description | Ext. Dimensions (mm) | | |
|------------|-------------|-------------|----------------------|---------|---|
| MS SELPN. | MS ITEM PN. | Description | L | L 🗸 W H | Н |

| MS087-10 | MS087-10F | EMI/RFI Frame | 8.7 | 6.3 | 3 |
|----------|--------------------------|--------------------------|-------------|------------|-----------|
| | MS087-10C | EMI/RFI Cover | 9.3 6.9 2.7 | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS093-10 | MS093-10F | EMI/RFI Frame | 9.3 | 9.3 | 5 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| \sim | MS093-10C | EMI/RFI Cover | 9.7 | 9.7 | 3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| MS110-10 | MS110-10F | EMI/RFI Frame | 11 | 11 | 2.8 | | |
|----------|--------------------------|--------------------------|---------------|------------|-----------|--|--|
| | MS110-10C | EMI/RFI Cover | 11.6 11.6 2.8 | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | eel | | | |
| | Optional Configurations: | | | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-St | eel 🗹 Nick | el Silver | | |

| MS110-20 | MS110-20F | EMI/RFI Frame | 11 | 11 | 6 | |
|----------|--------------------------|--------------------------|---------------|------------|-----------|--|
| | MS110-20C | EMI/RFI Cover | 11.6 11.6 2.8 | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| MS130-10 | MS130-10F | EMI/RFI Frame | 13 | 13 | 5 | | |
|----------|--------------------------|--------------------------|-----------|------------------------|---|--|--|
| | MS130-10C | EMI/RFI Cover | 13.6 | 13.6 | 3 | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | | |
| | Optional Configurations: | | | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | n-Steel 🗹 Nickel Silve | | | |

| MC Cat DN | MS Item PN. | Description | Ext. Dime | ensions (mr | n) |
|------------|-------------|-------------|-----------|-------------|----|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | Optional Configurations: | | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | MS135-20C | EMI/RFI Cover | 14.1 | 14.1 | 3 | |
| MS135-20 | MS135-20F | EMI/RFI Frame | 13.5 | 13.5 | 5.1 | |

| MS148-10 | MS148-10F | EMI/RFI Frame | 14.8 | 8.9 | 2 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS148-10C | EMI/RFI Cover | 15.2 | 9.3 | 2 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| - Com | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS156-10 | MS156-10F | EMI/RFI Frame | 15.6 | 10.6 | 3 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| \frown | MS156-10C | EMI/RFI Cover | 16 | 11 | 2.6 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | Optional Configurations: | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | MS168-10C | EMI/RFI Cover | 17.2 | 13.9 | 3 |
| MS168-10 | MS168-10F | EMI/RFI Frame | 16.8 | 13.5 | 5 |

| MS183-10 | MS183-10F | EMI/RFI Frame | 18.3 | 10.5 | 3 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS183-10C | EMI/RFI Cover | 18.9 | 11.1 | 3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

∭ Masach

| | MO Have DNI | Description | Ext. Dimensions (mm) | n) | |
|------------|-------------|-------------|----------------------|----|---|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| MS190-10 | MS190-10F | EMI/RFI Frame | 19 | 13.9 | 2 |
|----------|--------------------------|--------------------------|---------------|------------|-----------|
| | MS190-10C | EMI/RFI Cover | 19.4 14.3 1.7 | | 1.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS193-10 | MS193-10F | EMI/RFI Frame | 19.3 | 10.5 | 3 |
|----------|--------------------------|--------------------------|---------------|------------|-----------|
| \frown | MS193-10C | EMI/RFI Cover | 19.9 11.1 2.7 | | 2.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS193-20 | MS193-20F | EMI/RFI Frame | 19.3 | 18.3 | 3.5 |
|----------|--------------------------|--------------------------|---------------------------|-----------|-----|
| | MS193-20C | EMI/RFI Cover | 19.9 | 18.9 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | Tin-Steel I Nickel Silver | | |

| MS193-30 | MS193-30F | EMI/RFI Frame | 19.3 | 18.3 | 16 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS193-30C | EMI/RFI Cover | 19.9 | 18.9 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS206-10 | MS206-10F | EMI/RFI Frame | 20.6 | 17.8 | 3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS206-10C | EMI/RFI Cover | 21.2 | 18.4 | 2.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| MS Set PN. | MS Item PN. | Description | Ext. Dime | Ext. Dimensions (mm) | n) |
|-------------|--------------|-------------|-----------|----------------------|----|
| MIS SELPIN. | WIS ITEM PN. | Description | L 🔻 | W | Н |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Derforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | Optional Configurations: | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | MS209-10C | EMI/RFI Cover | 21.3 | 15.7 | 1.7 |
| MS209-10 | MS209-10F | EMI/RFI Frame | 20.9 | 15.3 | 1.65 |

| MS209-20 | MS209-20F | EMI/RFI Frame | 20.9 | 15.3 | 2 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS209-20C | EMI/RFI Cover | 21.3 | 15.7 | 1.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS210-10 | MS210-10F | EMI/RFI Frame | 21 | 12 | 5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS210-10C | EMI/RFI Cover | 21.6 | 12.6 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 1-Piece 🗹 2-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | Optional Configurations: | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \frown | MS213-10C | EMI/RFI Cover | 21.7 | 20.3 | 2.5 |
| MS213-10 | MS213-10F | EMI/RFI Frame | 21.3 | 19.9 | 2.9 |

| MS220-10 | MS220-10F | EMI/RFI Frame | 22 | 19.3 | 3.3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS220-10C | EMI/RFI Cover | 22.6 | 19.9 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

∭ Masach

| | MO Have DNI | Description | Ext. Dim | Ext. Dimensions (mm) | n) |
|------------|-------------|-------------|----------|----------------------|----|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| MS220-20 | MS220-20F | EMI/RFI Frame | 22 | 17.7 | 3 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS220-20C | EMI/RFI Cover | 22.4 | 18.1 | 3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| MS220-30 | MS220-30F | EMI/RFI Frame | 22 | 11.3 | 2.8 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS220-30C | EMI/RFI Cover | 22.6 | 11.9 | 2.8 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS220-40 | MS220-40F | EMI/RFI Frame | 22 | 11.3 | 7 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS220-40C | EMI/RFI Cover | 22.6 | 11.9 | 2.8 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS223-10 | MS223-10F | EMI/RFI Frame | 22.3 | 17.3 | 5 |
|----------|--------------------------|--------------------------|---------------------------|------|---|
| | MS223-10C | EMI/RFI Cover | 22.7 | 17.7 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | Tin-Steel I Nickel Silver | | |

| MS | 226-10 | MS226-10F | EMI/RFI Frame | 22.6 | 17.1 | 2 |
|----|--|--------------------------|--------------------------|-----------|------------|-----------|
| | | MS226-10C | EMI/RFI Cover | 23 | 17.5 | 2 |
| | | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | | Optional Configurations: | | | | |
| | A CONTRACTOR OF CONTRACTOR OFO | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| ſ | MS Set PN. | MS Item PN. | Description | Ext. Dime | ensions (mn | n) |
|---|------------|-------------|-------------|-----------|-------------|----|
| | MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| | | 🗹 2-Piece 🗹 1-Piece | Hermetic Derforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |
|----------|---|--------------------------|--------------------------|-----------|------------|-----------|
| 9 | | Optional Configurations: | | | | |
| | | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | | MS230-10C | EMI/RFI Cover | 23.6 | 12.3 | 3 |
| MS230-10 |) | MS230-10F | EMI/RFI Frame | 23 | 11.7 | 5 |

| MS233-10 | MS233-10F | EMI/RFI Frame | 23.3 | 17.5 | 5 |
|--------------|--------------------------|--------------------------|-----------|------------|-----------|
| \frown | MS233-10C | EMI/RFI Cover | 23.7 | 17.9 | 2.8 |
| \sim | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| \checkmark | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS233-20 | MS233-20F | EMI/RFI Frame | 23.3 | 14.5 | 3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS233-20C | EMI/RFI Cover | 23.7 | 14.9 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| | | Optional Configurations: | | | | |
|--|----------|--|--------------------------|-----------|------|-----|
| | | 2-Piece Shield Optional Configurations: | Seamless Protective Cage | Tin-Steel | | |
| | | MS256-10C | EMI/RFI Cover | 26 | 15.9 | 2.3 |
| | MS256-10 | MS256-10F | EMI/RFI Frame | 25.6 | 15.5 | 2.3 |

| MS257-10 | MS257-10F | EMI/RFI Frame | 25.7 | 25.7 | 6.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS257-10C | EMI/RFI Cover | 26.3 | 26.3 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic D Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

∭ Masach

| | MO Have DNI | Description | Ext. Dim | Ext. Dimensions (mm) | |
|------------|-------------|-------------|----------|----------------------|---|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| MS259-10 | MS259-10F | EMI/RFI Frame | 25.9 | 25.9 | 3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS259-10C | EMI/RFI Cover | 26.3 | 26.3 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS260-10 | MS260-10F | EMI/RFI Frame | 26 | 23 | 7.8 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS260-10C | EMI/RFI Cover | 26.6 | 23.6 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic M Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS263-10 | MS263-10F | EMI/RFI Frame | 26.3 | 16.8 | 4.5 |
|----------|--------------------------|--------------------------|--------------------|------------|-----------|
| | MS263-10C | EMI/RFI Cover | 26.9 | 17.4 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | ive Cage Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS263-20 | MS263-20F | EMI/RFI Frame | 26.3 | 19.8 | 8.1 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS263-20C | EMI/RFI Cover | 26.9 | 20.4 | 3.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-St | eel 🗹 Nick | el Silver |

| MS268-10 | MS268-10F | EMI/RFI Frame | 26.8 | 15.6 | 2.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS268-10C | EMI/RFI Cover | 27.4 | 16.2 | 2.5 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| ſ | MS Set PN. | MS Item PN. | Description | Ext. Dime | ensions (mn | n) |
|---|------------|-------------|-------------|-----------|-------------|----|
| | MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Derforated | 🗹 Tin-St | eel 🗹 Nick | el Silver |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | Optional Configurations: | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | MS268-20C | EMI/RFI Cover | 27.4 | 16.2 | 2.5 |
| MS268-20 | MS268-20F | EMI/RFI Frame | 26.8 | 15.6 | 4 |

| MS288-10 | MS288-10F | EMI/RFI Frame | 28.8 | 19.4 | 5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| \frown | MS288-10C | EMI/RFI Cover | 29.4 | 20 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS293-10 | MS293-10F | EMI/RFI Frame | 29.3 | 25.3 | 6.4 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS293-10C | EMI/RFI Cover | 29.9 | 25.9 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | 1 | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS300-10 | MS300-10F | EMI/RFI Frame | 30 | 24.4 | 3.5 |
|-------------------|--------------------------|--------------------------|-----------|------------|-----------|
| \frown | MS300-10C | EMI/RFI Cover | 30.6 | 25 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| $\langle \rangle$ | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS302-10 | MS302-10F | EMI/RFI Frame | 30.2 | 18.9 | 3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS302-10C | EMI/RFI Cover | 30.8 | 19.5 | 2.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \sim | Optional Configurations: | | 1 | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

∭ Masach

| | MO Have DNI | Description | Ext. Dimensions (mm) | | |
|------------|-------------|-------------|----------------------|---|---|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| MS308-10 | MS308-10F | EMI/RFI Frame | 30.8 | 17.8 | 4.4 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS308-10C | EMI/RFI Cover | 31.4 | 18.4 | 4.4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS310-10 | MS310-10F | EMI/RFI Frame | 31 | 17.1 | 3 |
|----------|--------------------------|--------------------------|-----------|-----------|-----|
| \frown | MS310-10C | EMI/RFI Cover | 31.6 | 17.7 | 2.7 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \sim | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | el Silver | |

| MS312-10 | MS312-10F | EMI/RFI Frame | 31.2 | 30 | 5 |
|-------------------|--------------------------|--------------------------|-----------------------------|-------|---|
| | MS312-10C | EMI/RFI Cover | 31.8 | 30.6 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Steel | |
| $\langle \rangle$ | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Steel 🗹 Nickel Silver | | |

| MS321-10 | MS321-10F | EMI/RFI Frame | 32.1 | 16.6 | 2.5 |
|-------------------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS321-10C | EMI/RFI Cover | 32.5 | 17 | 2.2 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| $\langle \rangle$ | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS323-10 | MS323-10F | EMI/RFI Frame | 32.3 | 23.8 | 3.7 |
|----------|--------------------------|--------------------------|-------------|------------|-----------|
| | MS323-10C | EMI/RFI Cover | 32.9 | 24.4 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | e Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| MS Set PN. | MS Item PN. | Description | Ext. Dimensions (mm) | | |
|-------------|--------------|-------------|----------------------|---|---|
| MIS SELPIN. | WIS ITEM PN. | Description | L 🔻 | W | Н |

| | MS323-20C 2-Piece Shield | EMI/RFI Cover Seamless Protective Cage | 32.9 Tin-Steel | 24.4 | 4 |
|--------------|-----------------------------|---|-------------------|------------|-----------|
| | Optional Configurations: | | | | |
| \checkmark | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS323-30 | MS323-30F | EMI/RFI Frame | 32.3 | 23.8 | 9 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS323-30C | EMI/RFI Cover | 32.9 | 24.4 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS329-10 | MS329-10F | EMI/RFI Frame | 32.9 | 20.7 | 2.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS329-10C | EMI/RFI Cover | 33.3 | 21.1 | 2.2 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| - |
|---|
| |
| 3 |

| MS338-10 | MS338-10F | EMI/RFI Frame | 33.8 | 30.3 | 3.3 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS338-10C | EMI/RFI Cover | 34.2 | 30.7 | 3.2 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \sim | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

Masach

| | MO Harra DN | Description | Ext. Dimensions (mm) | | | n) |
|------------|-------------|-------------|----------------------|---|---|----|
| MS Set PN. | MS Item PN. | Description | L | • | w | Н |

| MS345-10 | MS345-10F | EMI/RFI Frame | 34.5 | 23.3 | 3.5 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS345-10C | EMI/RFI Cover | 35.1 | 23.9 | 3.3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| MS345-20 | MS345-20F | EMI/RFI Frame | 34.5 | 21.5 | 3.2 | |
|----------|--------------------------|--------------------------|-----------|-----------|-----|--|
| | MS345-20C | EMI/RFI Cover | 35.1 | 22.1 | 2.8 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | | |
| \sim | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | el Silver | | |

| MS353-10 | MS353-10F | EMI/RFI Frame | 35.3 | 20 | 6.4 |
|--------------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS353-10C | EMI/RFI Cover | 35.7 | 20.4 | 3.5 |
| \mathbf{x} | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS353-20 | MS353-20F | EMI/RFI Frame | 35.3 | 22.3 | 6.4 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS353-20C | EMI/RFI Cover | 35.7 | 22.7 | 3.5 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-St | eel 🗹 Nick | el Silver | |

| MS355-10 | MS355-10F | EMI/RFI Frame | 35.5 | 19 | 5.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS355-10C | EMI/RFI Cover | 36.1 | 19.6 | 3.8 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| MC Cat DN | MC Itom DN | Description | Ext. Dime | Ext. Dimensions (mm) | n) |
|------------|-------------|-------------|-----------|----------------------|----|
| MS Set PN. | MS Item PN. | Description | L v | W | н |

| | 2-Piece I 1-Piece | Hermetic D Perforated | 🗹 Tin-St | el Silver | | |
|----------|--------------------------|--------------------------|-----------|-----------|-----|--|
| | Optional Configurations: | | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | MS366-10C | EMI/RFI Cover | 37 | 34.5 | 2.8 | |
| MS366-10 | MS366-10F | EMI/RFI Frame | 36.6 | 34.1 | 3.3 | |

| MS378-10 | MS378-10F | EMI/RFI Frame | 37.8 | 21.6 | 3 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS378-10C | EMI/RFI Cover | 38.4 | 22.2 | 2.7 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 1-Piece | Hermetic DPerforated | 🗹 Tin-St | eel 🗹 Nick | el Silver | |

| MS382-10 | MS382-10F | EMI/RFI Frame | 38.2 | 33.3 | 5 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS382-10C | EMI/RFI Cover | 38.8 | 33.9 | 3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Derforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | Optional Configurations: | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | MS384-10C | EMI/RFI Cover | 39 | 38.2 | 4 |
| MS384-10 | MS384-10F | EMI/RFI Frame | 38.4 | 37.6 | 11 |

| MS400-10 | MS400-10F | EMI/RFI Frame | 40 | 18.3 | 4 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS400-10C | EMI/RFI Cover | 40.6 | 18.9 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

Masach

MS On-Board / Catalog 2019

| | MO Harra DN | Description | Ext. | Ext. Dimensions (mm) | n) | |
|------------|-------------|-------------|------|----------------------|----|---|
| MS Set PN. | MS Item PN. | Description | L | • | W | н |

| MS402-10 | MS402-10F | EMI/RFI Frame | 40.2 | 34.6 | 5.3 |
|----------|--------------------------|--------------------------|--------------------------|------|-----|
| | MS402-10C | EMI/RFI Cover | 40.8 35.2 3.5 | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \sim | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | Tin-Steel I Nickel Silve | | |

| MS405-10 | MS405-10F | EMI/RFI Frame | 40.5 | 18.9 | 2.8 |
|--------------|--------------------------|--------------------------|--------------------------|------|-----|
| | MS405-10C | EMI/RFI Cover | 41.1 19.5 2.8 | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \times | Optional Configurations: | | | | |
| \checkmark | 2-Piece 🗹 1-Piece | Hermetic Perforated | Tin-Steel I Nickel Silve | | |

| MS409-10 | MS409-10F | EMI/RFI Frame | 40.9 | 21.5 | 2.5 |
|----------|--------------------------|--------------------------|---------------------------|-----------|-----|
| | MS409-10C | EMI/RFI Cover | 41.3 | 21.9 | 2.4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | Tin-Steel I Nickel Silver | | |

| MS412-10 | MS412-10F | EMI/RFI Frame | 41.2 | 13.6 | 5.1 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS412-10C | EMI/RFI Cover | 41.8 | 14.2 | 3.2 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS415-10 | MS415-10F | EMI/RFI Frame | 41.5 | 16.8 | 6.8 |
|----------|--------------------------|--------------------------|--------------|------------|-----------|
| | MS415-10C | EMI/RFI Cover | 42.1 | 17.4 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | je Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

– 1

| MC Cat DN | MS Item PN. | Description | Ext. Dime | ensions (mn | n) |
|------------|-------------|-------------|-----------|-------------|----|
| MS Set PN. | MS ILEM PN. | Description | L 🔻 | W | Н |

| | 🗹 2-Piece 🗹 1-Piece | Hermetic Derforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | Optional Configurations: | | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | MS415-20C | EMI/RFI Cover | 42.1 | 27.1 | 5 | |
| MS415-20 | MS415-20F | EMI/RFI Frame | 41.5 | 26.5 | 9.5 | |

| MS423-10 | MS423-10F | EMI/RFI Frame | 42.3 | 15.3 | 4.4 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS423-10C | EMI/RFI Cover | 42.9 | 15.9 | 3.5 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS448-10 | MS448-10F | EMI/RFI Frame | 44.8 | 18.2 | 3 |
|------------|--------------------------|--------------------------|-----------|------------|-----------|
| \frown | MS448-10C | EMI/RFI Cover | 45.2 | 18.6 | 2.8 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| \searrow | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS448-20 | MS448-20F | EMI/RFI Frame | 44.8 | 18.2 | 5.7 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| \frown | MS448-20C | EMI/RFI Cover | 45.2 | 18.6 | 2.8 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS453-10 | MS453-10F | EMI/RFI Frame | 45.3 | 16.2 | 6 |
|----------|--------------------------|--------------------------|--------------|------------|-----------|
| \frown | MS453-10C | EMI/RFI Cover | 45.9 | 16.8 | 2.9 |
| | 2-Piece Shield | Seamless Protective Cage | ge Tin-Steel | | |
| | Optional Configurations: | |] | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

∭ Masach

| | MO Item DN | Description | Ext. Dimensions (mm) | | n) | |
|------------|-------------|-------------|----------------------|---|----|---|
| MS Set PN. | MS Item PN. | Description | L | • | W | н |

| MS466-10 | MS466-10F | EMI/RFI Frame | 46.6 | 17.3 | 5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS466-10C | EMI/RFI Cover | 47.2 | 4 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS473-10 | MS473-10F | EMI/RFI Frame | 47.3 | 23.3 | 5.3 | |
|----------|--------------------------|--------------------------|-----------|--------------------------|-----|--|
| | MS473-10C | EMI/RFI Cover | 47.9 | 3.5 | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | Tin-Steel I Nickel Silve | | |

| MS477-10 | MS477-10F | EMI/RFI Frame | 47.7 | 18.2 | 4 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS477-10C | EMI/RFI Cover | 48.3 | 18.8 | 3 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | I | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS483-10 | MS483-10F | EMI/RFI Frame | 48.3 | 44.3 | 4.4 | |
|-------------------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS483-10C | EMI/RFI Cover | 48.9 | 44.9 | 4 | |
| \sim | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | Tin-Steel | | |
| $\langle \rangle$ | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-St | eel 🗹 Nick | el Silver | |

| MS511-10 | MS511-10F | EMI/RFI Frame | 51.1 | 25.7 | 6.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS511-10C | EMI/RFI Cover | 51.7 | 26.3 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

2

| MC Cot DN | MC Itom DN | Description | Ext. Dime | Ext. Dimensions (mm) | n) |
|------------|-------------|-------------|-----------|----------------------|----|
| MS Set PN. | MS Item PN. | Description | L 🔻 | W | Н |

| MS511-20 | MS511-20F MS511-20C | EMI/RFI Frame EMI/RFI Cover | 51.1 51.7 | 38.4 39 | 6.5 |
|----------|--------------------------|--------------------------------|--------------|------------|-----------|
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | 39 | 4 |
| \sim | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS513-10 | MS513-10F | EMI/RFI Frame | 51.3 | 26.5 | 9.5 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | MS513-10C | EMI/RFI Cover | 51.9 | 27.1 | 3.5 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | <u> </u> | | | |
| | 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | |

| MS544-10 | MS544-10F | EMI/RFI Frame | 54.4 | 23.9 | 7.5 |
|----------|--------------------------|--------------------------|--------------|------------|-----------|
| | MS544-10C | EMI/RFI Cover | 55 | 24.5 | 4 |
| | 2-Piece Shield | Seamless Protective Cage | ge Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece I 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS544-20 | MS544-20F | EMI/RFI Frame | 54.4 | 23.9 | 13.5 |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS544-20C | EMI/RFI Cover | 55 | 24.5 | 3.5 |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| | Optional Configurations: | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS585-10 | MS585-10F | EMI/RFI Frame | 58.5 | 49.7 | 4.7 |
|-------------------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS585-10C | EMI/RFI Cover | 59.1 | 50.3 | 3 |
| \sim | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | |
| $\langle \rangle$ | Optional Configurations: | | | | |
| \checkmark | 2-Piece I 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

∭ Masach

| MS Set PN. | MO Harra DN | Description | Ext. Dimensions (mm) | | | | |
|------------|-------------|-------------|----------------------|---|---|---|--|
| | MS Item PN. | Description | L | • | W | Н | |

| MS593-10 | MS593-10F | EMI/RFI Frame | 20.6 | 2.8 | | |
|----------|--------------------------|--------------------------|------------|-----------|-----|--|
| | MS593-10C | EMI/RFI Cover | 59.9 | 21.2 | 2.5 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | eel 🗹 Nick | el Silver | | |

| MS593-20 | MS593-20F | EMI/RFI Frame | 20.6 | 5.7 | | |
|----------|--------------------------|--------------------------|-----------|-----------|---|--|
| | MS593-20C | EMI/RFI Cover | 59.9 | 21.2 | 3 | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗹 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | el Silver | | |


| MS631-10 | MS631-10F | EMI/RFI Frame | 35.5 | 2.8 | |
|----------|--------------------------|--------------------------|-----------|------------|-----------|
| | MS631-10C | EMI/RFI Cover | 63.5 | 35.9 | 2.5 |
| | 2-Piece Shield | Seamless Protective Cage | | | |
| | Optional Configurations: | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver |

| MS737-10 | MS737-10F | EMI/RFI Frame 73.7 28.1 2 | | | | | | |
|----------|--------------------------|---------------------------|-----------|------------|-----------|--|--|--|
| | MS737-10C | EMI/RFI Cover | 74.3 | 28.7 | 3 | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | | | |
| | Optional Configurations: | | | | | | | |
| | 🗹 2-Piece 🗹 1-Piece | Hermetic DPerforated | 🗹 Tin-Ste | eel 🗹 Nick | el Silver | | | |

| MS-ENG-KIT21 | MS-ENG-KIT21 | Engineering Kit | | | | |
|--------------|--------------------------|--------------------------|-----------|------------|-----------|--|
| | | | | | | |
| | 2-Piece Shield | Seamless Protective Cage | Tin-Steel | | | |
| | Optional Configurations: | | | | | |
| | 2-Piece 🗆 1-Piece | Hermetic Perforated | 🗹 Tin-Ste | eel 🗆 Nick | el Silver | |

2

Typical PCB Shielding Effectiveness



[Typical performance of 51.1mm x 38.4mm EMI/RFI shield as reference]

Tinplate Steel Stock Storage & Handling

Materials Specification: Cold Reduced Electrolytic Tinplate Steel Tinplate Standard: TS275E8.4/8.4 EN 10202:2001

The materials used to fabricate these shields are based on mild steel with less than 0.12% Carbon and no more than 1% alloying elements and naturally occurring impurities. Major shielding elements are thus ferrous and tin. The thin resultant layer of tin enables shields to be easily soldered to PC boards as well as to resist corrosion during the assembly process. Tin plate shields offer the most cost effective shielding protection provided the following care is taken during storage and handling:


- 1. Do not pass these components through a salt bath test, they are not designed for such severe treatment. Alternate materials (albeit more expensive) are available.
- 2. Frames should be left in the package trays until assembly to preserve shield planarity.
- 3. Store in a cool dry place and avoid water or other liquids from coming into contact with shields.
- Mild scratching and scuffs are natural for processed shields from pre-plated material. Protective films can be ordered especially for unblemished finish of covers.
- 5. Extremely thin film of oil may cover some shields. This does affect soldering and need not be removed.

Tinplate shields constitute over 85% of the materials used in the Masach production program and have been proven effective in their respective applications.


Masach

Masach[™] Regular SMD Packing Trays

MS210-10 / Small Packing Tray / SMD



MS210-10 / Large Packing Tray / SMD



© 2019 Masach Tech Ltd

Worldwide Activity



Global Recognition



We continue to develop innovative products utilizing new manufacturing techniques, serving our ever-growing network of worldwide distributors and customers.

ISO 9001:2015 Quality Assurance



We provide our customers with highest quality products and timely delivery, managed by a state of the art ERP system in accordance with ISO 9001 quality standards.

Green Policy



RoHS & Reach Compatible



We use only fabricated materials that are RoHS and Reach compatible, with standards continually updated. COC of base material used is available upon request.

Scrap and Discarded Material

All material scrap resultant from the fabrication process is gathered and stored in separate bins for subsequent recycling. We pride ourselves in achieving 100% recycling of all metallic waste. Plastic sheet scrap resultant from the vacuum form process is 100% recycled via the raw material provider. We encourage our customers to return the vacuum form package trays and packing cartons for future recycling.

Environment

Our modern fabrication plant and facilities are surrounded by trees, shrubs and flower beds. Water condensed from the plant's air conditioners serve to water our gardens, requiring no additional irrigation.





Setting the Standard for Shielding.™

MS On-Board / Standard Drawn EMI/RFI Shields

MS-ENG-KIT21 / Engineering Kit

Seamless Protective Cages!





This catalog was designed for marketing purposes while considering the environment. We maintain green printing using base colors only and 100% recycled paper use. Please consider the environment before printing this file.

© 2019 Masach Tech Ltd.

© 2019 Masach Tech Ltd.

Masach

| | Ext | ernal (n | nm) | | | Ext | ernal (n | nm) | | | Ext | ernal (n | าm) |
|----------|------|----------|------|--|----------|------|----------|-----|--|----------|----------|----------------------|--------|
| Set PN. | L 🔻 | W | Н | | Set PN. | L 🔻 | W | н | | Set PN. | L 🔻 | W | Н |
| | | | | | | | | | | | | | |
| MS087-10 | 8.7 | 6.3 | 3 | | MS268-10 | 26.8 | 15.6 | 2.5 | | MS448-20 | 44.8 | 18.2 | 5.7 |
| MS093-10 | 9.3 | 9.3 | 5 | | MS268-20 | 26.8 | 15.6 | 4 | | MS453-10 | 45.3 | 16.2 | 6 |
| MS110-10 | 11 | 11 | 2.8 | | MS288-10 | 28.8 | 19.4 | 5 | | MS466-10 | 46.6 | 17.3 | 5 |
| MS110-20 | 11 | 11 | 6 | | MS293-10 | 29.3 | 25.3 | 6.4 | | MS473-10 | 47.3 | 23.3 | 5.3 |
| MS130-10 | 13 | 13 | 5 | | MS300-10 | 30 | 24.4 | 3.5 | | MS477-10 | 47.7 | 18.2 | 4 |
| MS135-20 | 13.5 | 13.5 | 5.1 | | MS302-10 | 30.2 | 18.9 | 3 | | MS483-10 | 48.3 | 44.3 | 4.4 |
| MS148-10 | 14.8 | 8.9 | 2 | | MS308-10 | 30.8 | 17.8 | 4.4 | | MS511-10 | 51.1 | 25.7 | 6.5 |
| MS156-10 | 15.6 | 10.6 | 3 | | MS310-10 | 31 | 17.1 | 3 | | MS511-20 | 51.1 | 38.4 | 6.5 |
| MS168-10 | 16.8 | 13.5 | 5 | | MS312-10 | 31.2 | 30 | 5 | | MS513-10 | 51.3 | 26.5 | 9.5 |
| MS183-10 | 18.3 | 10.5 | 3 | | MS321-10 | 32.1 | 16.6 | 2.5 | | MS544-10 | 54.4 | 23.9 | 7.5 |
| MS190-10 | 19 | 13.9 | 2 | | MS323-10 | 32.3 | 23.8 | 3.7 | | MS544-20 | 54.4 | 23.9 | 13.5 |
| MS193-10 | 19.3 | 10.5 | 3 | | MS323-20 | 32.3 | 23.8 | 4.7 | | MS585-10 | 58.5 | 49.7 | 4.7 |
| MS193-20 | 19.3 | 18.3 | 3.5 | | MS323-30 | 32.3 | 23.8 | 9 | | MS593-10 | 59.3 | 20.6 | 2.8 |
| MS193-30 | 19.3 | 18.3 | 16 | | MS329-10 | 32.9 | 20.7 | 2.5 | | MS593-20 | 59.3 | 20.6 | 5.7 |
| MS206-10 | 20.6 | 17.8 | 3 | | MS333-10 | 33.3 | 13.3 | 4.4 | | MS631-10 | 63.1 | 35.5 | 2.8 |
| MS209-10 | 20.9 | 15.3 | 1.65 | | MS338-10 | 33.8 | 30.3 | 3.3 | | MS737-10 | 73.7 | 28.1 | 2.9 |
| MS209-20 | 20.9 | 15.3 | 2 | | MS345-10 | 34.5 | 23.3 | 3.5 | | | | | |
| MS210-10 | 21 | 12 | 5 | | MS345-20 | 34.5 | 21.5 | 3.2 | | | | | |
| MS213-10 | 21.3 | 19.9 | 2.9 | | MS353-10 | 35.3 | 20 | 6.4 | | | \frown | | |
| MS220-10 | 22 | 19.3 | 3.3 | | MS353-20 | 35.3 | 22.3 | 6.4 | | | | | |
| MS220-20 | 22 | 17.7 | 3 | | MS355-10 | 35.5 | 19 | 5.5 | | | | | |
| MS220-30 | 22 | 11.3 | 2.8 | | MS366-10 | 36.6 | 34.1 | 3.3 | | | | \leq | |
| MS220-40 | 22 | 11.3 | 7 | | MS378-10 | 37.8 | 21.6 | 3 | | | | \geq | < |
| MS223-10 | 22.3 | 17.3 | 3 | | MS382-10 | 38.2 | 33.3 | 5 | | | - tes | $\langle $ \rangle | \geq |
| MS226-10 | 22.6 | 17.1 | 2 | | MS384-10 | 38.4 | 37.6 | 11 | | | | | |
| MS230-10 | 23 | 11.7 | 5 | | MS400-10 | 40 | 18.3 | 4 | | | | | |
| MS233-10 | 23.3 | 17.5 | 5 | | MS402-10 | 40.2 | 34.6 | 5.3 | | | | | |
| MS233-20 | 23.3 | 14.5 | 3 | | MS405-10 | 40.5 | 18.9 | 2.8 | | | CT. | | |
| MS256-10 | 25.6 | 15.5 | 2.3 | | MS409-10 | 40.9 | 21.5 | 2.5 | | | | | |
| MS257-10 | 25.7 | 25.7 | 6.5 | | MS412-10 | 41.2 | 13.6 | 5.1 | | | | | 90 |
| MS259-10 | 25.9 | 25.9 | 3 | | MS415-10 | 41.5 | 16.8 | 6.8 | | | | | |
| MS260-10 | 26 | 23 | 7.8 | | MS415-20 | 41.5 | 26.5 | 9.5 | | Downloa | | | |
| MS263-10 | 26.3 | 16.8 | 4.5 | | MS423-10 | 42.3 | 15.3 | 4.4 | | Ord | erA | nlin | ê |
| MS263-20 | 26.3 | 19.8 | 8.1 | | MS448-10 | 44.8 | 18.2 | 3 | | U.U. | | 0 | |

Pick-out your next EMI/RFI Shield »

MASACH TECH LTD. | T: (+972) 8 9754681 | F: (+972) 8 9754682 | info@masach.com



www.masach.com

