



Document	Document Number	Revision	Date
Spec Sheet	FLL232A01	A	21-Feb-2019

LPF
Proposal

P/N : FLL232A01

Contents

1. Electrical Specifications
2. Simulation Data
3. Mechanical Specification


Revision	Description	Date
A	Initial Release	21-Feb-2019

Document	Document Number	Revision	Date
Spec Sheet	FLL232A01	A	21-Feb-2019

1. Electrical Specifications


Parameter	Specification	Simulation	Proposal
Pass Band	2270MHz ~ 2320MHz		OK
Insertion Loss	0.5dB max.	0.73	0.9dB
Return Loss	1.5:1 min.	1.35:1	OK
Ripple in BW	± 0.1 dB, max. @any 10MHz slice	-	OK
Rejection	45.0dBc min @ 4540MHz ~ 6960MHz	49.54	OK
Group Delay Variation @BW	3nSec P-t-P @ any 10MHz slice (Over all conditions: see paragraph 4)	-	OK
Input Output Impedance	50 Ω	-	OK
Power Handling (CW)	10W	-	OK
Dimension	?mm*?mm*6mm (L*W*H)	-	OK
Operating Temperature	-40°C to +80°C ambient	-	OK
Non-Operating Temperature	-40°C to +85°C	-	OK
Altitude	50mbar & 60°C	-	OK
Humidity	95% @ 60°C	-	delete

2. Simulation Data



Document	Document Number	Revision	Date
Spec Sheet	FLL232A01	A	21-Feb-2019

3.Mechanical Specification



Parameter	Specification	Proposal
Dimension	?mm*?mm*6mm (L*W*H)	25.4*12.7*7.5